



Sign:

	Date	Name	<p style="text-align: center;"><i>temperwine</i></p> <p style="font-size: small; text-align: center;">THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TEMPERWINE S.L. IN MÁLAGA, SPAIN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TEMPERWINE S.L. IS PROHIBITED.</p>	
Design:				
Checked:				
Modified:				
Scale: 1:20	Part name: TW03-110		Top assembly: TW03-110	Client:
Unit:				Material:
	Description: Vinoteca para 110 botellas			Reference: TW03-110
				Count:
				Pages: 1 OF 5




ALZADO



PERFIL





PLANTA




DATOS TÉCNICOS


Categoría energética	3N N 3T
Voltaje	220V-240V
Frecuencia	50Hz
Amperaje	0.65A
Potencia de entrada	160W
Refrigerante	R600a/40g
Peso neto	95kg
Botellas	110botellas

	Date	Name	 <small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TEMPERWINE S.L. IN MÁLAGA, SPAIN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TEMPERWINE S.L. IS PROHIBITED.</small>	
Design:				
Checked:				
Modified:				
Scale: 1:20	Part name: TW03-110		Top assembly: TW03-110	Client:
Unit:				Material:
	Description: Vinoteca para 110 botellas			Reference: TW03-110
				Count:
				Pages: 2 OF 5

Sign:




ALZADO




PERFIL

10 Bladas extraibles de metal



display



Leds Cálidos



180° apertura

SECCIÓN C-C

Distribucion de botellas 10 por cada fila


DATOS TÉCNICOS	
Categoría energética	3N N 3T
Voltaje	220V-240V
Frecuencia	50Hz
Amperaje	0.65A
Potencia de entrada	160W
Refrigerante	R600a/40g
Peso neto	95kg
Botellas	110botellas

	Date	Name
Design:		
Checked:		
Modified:		
Scale: 1:20	Part name: TW03-110	Top assembly: TW03-110
Unit:		

**temperwine**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TEMPERWINE S.L. IN MÁLAGA, SPAIN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TEMPERWINE S.L. IS PROHIBITED.

Sign:




Description:  
Vinoteca para 110 botellas

Client:
Material:
Reference: TW03-110
Count:
Pages: 3 OF 5



Ventilación (No obstruir)

F



COMPRESOR


SECCIÓN F-F



ENTRADA DE AIRE FRÍO

VENTILACIÓN DEL EQUIPO




SALIDA DE AIRE FRÍO

Medidas recomendadas (mm)	
ALTURA	1465
ANCHO	625
PROFUNDIDAD	800



Date	Name	 <small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TEMPERWINE S.L. IN MÁLAGA, SPAIN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TEMPERWINE S.L. IS PROHIBITED.</small>	
Design:			
Checked:			
Modified:			
Scale: 1:20	Part name:	Top assembly:	Client:
Unit:			Material:
	Description:		Reference:
			Count:
			Pages: 4 OF 5

Sign:



		Date	Name	 <small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TEMPERWINE S.L. IN MÁLAGA, SPAIN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TEMPERWINE S.L. IS PROHIBITED.</small>			
Design:							
Checked:							
Modified:							
Sign:	Scale: 1:20	Part name: TW03-110		Top assembly: TW03-110	Client:		
	Unit:				Material:		
		Description: Vinoteca para 110 botellas			Reference: TW03-110		
					Count:		
					Pages: 5 OF 5		